



The screenshot shows a network traffic capture tool interface. At the top, there are buttons for 'File', 'Edit', 'View', 'Capture', and 'Help'. Below these, there is a status bar showing '100.000.000.000' and '100.000.000.000'. The main display area is a list of IP addresses, including 342/58, 342/59, 342/60, 342/62, 342/63, 342/74, 342/75, 342/77, 342/78, 342/79, 342/80, 342/81, 342/90, 342/95, 342/96, 342/97, 342/107, 342/125, 342/126, 342/156, 342/157, 342/158, 244/3.11, 244/3.13, 244/3.14, 244/3.16, and 244/3.19. The list is scrollable, and the bottom of the list is currently visible.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16014	radar and (track or tracking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:40
L2	6288	reflector same (remote or remotely)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:41
L3	13975	(reflector or reflecting or reflective) same (remote or remotely)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:42
L4	331	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:42
L5	22360	telemetry or telemetric or telemetrically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:42
L6	23	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:46
L7	308	4 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:46

L8	3928	((342/58) or (342/59) or (342/60) or (342/62) or (342/63) or (342/74) or (342/75) or (342/77) or (342/78) or (342/79) or (342/80) or (342/81) or (342/90) or (342/95) or (342/96) or (342/97) or (342/107) or (342/125) or (342/126) or (342/156) or (342/157) or (342/158) or (244/3.11) or (244/3.13) or (244/3.14) or (244/3.16) or (244/3.19)).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/09/23 11:12
L9	2426	8 and @ad<="20031017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 11:13

SEARCH NOTES FOR EAST AND IEEE

SERIAL NUMBER

10690160

EAST: search history attached

Search terms: radar <and> (track <or> tracking) <and> (reflector <or> reflecting <or> reflective) <and> (remote <or> remotely)

6 Dynamic detection capability of a mobile bistatic weapons locating radar

Woodridge, K.; Banahan, C.P.;

Radar Conference, 2003. Proceedings of the 2003 IEEE , 5-8 May 2003

Pages:179 - 184

[\[Abstract\]](#) [\[PDF Full-Text \(377 KB\)\]](#) [IEEE CNF](#)
